

FIG. 4




FIG. 1





FIG. 2



FIGE 3





Fig. 5

	Host (Software	V D re	Display	· ·
	Program	to frame		Stort France
	mar Gart	depoole Ps framp		- Start
	mar Gard	cle wold	To frage	Stort Frama
·	mascard 9d	be frame	display BI frame	Start S Frame
	186-19 19	decode P6 frame	gr frame	- Frame
4	uncard	decode 84 frame	ps frame	Frome

クシリ



		7					
C	i	2	3	: 	5	۵	7
	9	10	1/	12	13	14	15
16	12	18	19	20	21	22	23
24	25	26	27		29		
32.	33	34	35		37		
ug	· 4	42	43	4 4	1 45.	46	47
ىنى بىن	49	50	51		- 53		
56	57	58	59	6	0 61	1 62	63

1

$$0$$
 1 5 6 14 15 27 28 2 4 7 13 16 26 29 42 38 12 17 25 30 41 43 9 11 18 24 31 40 44 53 10 19 23 32 39 45 52 54 20 22 33 38 46 51 55 60 21 34 37 47 50 56 59 61 35 36 49 57 58 62 63

Fig. 9




Figure 10

begin					
enc			d 1 2 begin		
end 2	3 begin	e1	nd 3 4 begi	n	
			 _		
			Tet.		
		end 4	5 begin		
				end	
begin					
		eı	nd 6 7 begin	j	
end 7 8	8 9 begin	end 9 1	0 begin		

Figure 14




Figure 12




Figure 13A




Figure 138




Fig. 14A

48/538887

Allocate system memory buffers.

Raw Buffer
is used to hold raw video packet data
until it can be parsed.

Header Buffer
is used to hold parameters extracted from
Sequence, Group, and Picture headers.
Used to program CP2 registers.

Picture Buffer is used to hold picture layer data, to be copied later into CP2 private memory.

Target Buffers are two buffers where CP2 will transfer decompressed frames using PCI bus master.

End

VDE_Open

Initialize variables for new MPEG file.

Prepare to receive video packets.

End

Fig. 14 B




Fig. 14C




Fig. 140




Fig. 14E

Fig 14F

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS

☑ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

☑ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
☑ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

□ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.